PRESCRIPTION CATALOGUE



SEE ALL YOU CAN DO



SUMMARY 4 32

COVERING

REMARKABLE KEY FIGURES PROBLU

MARKINGS & STANDARDS

8 MATERIALS

6



9)

COATINGS



TINTS & FILTER



NEW



WRAPAROUND

26



15

34

WEBSHOP

QUICK SEARCH

WHY Choose Us ?

14-DAYS SHIPPING Because doing your job at full

capacity can't wait.

GLOBAL PRODUCTION CAPACITY

With 10 manufacturing plants around the world.

COMPLIANCE WITH

Our products comply with all global quality standards for safety eyewear such as the EN166.

TRUSTED BY THE BEST

We work with top organizations such as General Electrics, BP, Eiffage, Coca-Cola, EDF, Rolls-Royce.

A MORE SUSTAINABLE PRODUCTION

We strive to develop products with greener materials and manufacturing processes for a better future for you, us, and the planet.

CERTIFIED CONTROL We retain total control over the quality and safety of

the products we make. Our factories are ISO 9001 certified.

CONSTANT INNOVATION

We are constantly improving our protective eyewear to provide better protection for all healthcare professionals.

THE GLOBAL PUREPLAYER IN PPE EYEWEARAT YOUR SERVICE



PETER SMITH CEO BOLLÉ SAFETY

As CEO of Bollé Brands, it is a privilege for me to serve the millions of hardworking industrial workers who use Bollé Safety products every day. A privilege because I feel that we render a genuine service to the industries and families that rely on them in the form of

Bollé has been a leader in the eyewear industry since 1888.

quality eye protection.

The industrial sector has been our main focus since day one: in the 1950's, Bollé Safety was founded with the ambition to protect the eyes of industrial workers from the harsh environments they work in. And we continue this legacy today with innovations like PLATINUM, our antifog and anti-scratch coatings, or ProBlu, the most advanced blue light filtering technology.

We are now working on our legacy for tomorrow, with sustainability as our number one priority: we are fully invested to develop sustainable products like the KLASSEE glasses and our ecopackaging, as part of our Go Green plan.

For the past 60 years, industrial companies and workers all over the world have come to expect the highest standards of excellence when it comes to Bollé Safety products. Combined with our Comfort Sense Perception (CSP) lens filtering technology, Bollé Safety offers over +400 combinations of protection for any job, any time, anywhere.

But we didn't just become the world's most trusted protective eyewear manufacturer based on safety alone. Ask any wearer of Bollé Safety PPE and they will tell you that what makes us different from other brands is our mindset of creating products that don't just keep you safe, but also let you be great at what you do. So this catalog doesn't just represent industrial eye protection at its best. It also represents all the men and women who wear Bollé Safety on the job working at their best as well.


EDITO


So, if you already wear Bollé Safety, thank you for your loyalty. And if this is your first time with us, we are pleased to welcome you into this community of greatness.


We can't wait to See All You Can Do.




4









MARKINGS AND STANDARDS

BOLLÉ SAFETY LENS AND FRAME MARKING IS SPECIFIC TO EACH PRODUCT. EACH MARKING CORRESPONDS TO A VERY SPECIFIC USE. CERTIFIED AND TESTED BY INDEPENDENT LABORATORIES, THIS INFORMATION GUARANTEES PROTECTIVE EYEWEAR QUALITY AND RESISTANCE.





6


The guarantee of Bollé Safety product authenticity and high quality.

UK CA

The UKCA (UK Conformity Assessed) marking is a new marking used for goods sold on the market in Great Britain (England, Wales and Scotland). It covers most goods which previously required the CE marking.

A NEW ISO STANDARD

In the coming years, ISO 16321 will officially replace EN166 in order to bring more safety to users. For more information on the standard and the markings, please contact our experts.



EN166: the reference standard

European PPE regulation 2016/425 makes marking CE and the logo of the company on all personal protective equipment compulsory.

7

The EN166 standard applies to all eye protection and guarantees adequate marking and the quality of the equipment. Its purpose is to guarantee protection from:

- Impacts characterised by varying degrees of severity - Optical radiation

- -Optical radiation
- -Molten metal and hot solidS
- -Droplets and splashes
- -Dust
- -Gases
- -Short-circuit electric arcs
- -Or from any combination of these risks.

Standard EN166 also defines the basic characteristics to which all eye protection must conform with regard to two criteria: the optical quality and the minimum strength.

EN172: Industrial use solar filters

EN172 defines the scales and requirements of the corresponding transmission factor for solar filters for industrial use/natural light sources.

MATERIALS

POLYCARBONATE

The main feature of polycarbonate is its high impact resistance. An anti-scratch coating is applied automatically to make the material more scratch resistant. Polycarbonate has the added advantage of absorbing all A and B ultraviolet rays from 280 nm up to 380 nm.

CR39

This is an organic resin material which is stronger than mineral glass and **50% lighter** and which absorbs a proportion of ultra-violet rays (UVB). Its clearness guarantees perfect optical quality. Its surface scratches more easily than mineral lenses. To remedy this, an anti-scratch coating is applied to the lens.

TRIVEX[®]

Trivex® has the advantages of polycarbonate and of CR39. Trivex is tougher than CR39 and withstands chemicals and solvents very well, which is not the case for polycarbonate. It is also one of the lightest materials on the market with its density of 1.11g/cm³, providing perfect optical visioⁿ and filtering 100% of UVAs and UVBs.

	PC	CR39	Trivex
GENERAL			
EN166 Marking	F	S	F
Lightness	***	**☆	***
Optical Quality	★★☆	***	***
STRENGTH			
Scratch resistance (toughened HC coating)	★★☆	***	***
Shock resistance	***	**☆	***
PROTECTION FROM RISKS			
Chemical risk	**☆	***	***
UV risk (UV cut-off)	385 nm 100% UVA I UVB	350 nm UVB	395 nm 100% UVA I UVB

COATINGS



ANTI-SCRATCH

ALL OUR LENSES ARE SHIPPED WITH ANTI-SCRATCH COATING AS STANDARD.

Scratches are one of the repetitive problems that have a major impact on visibility and which can shorten product service life. An anti-scratch coating is applied on the surface of the lens thereby making it more scratch resistant.



ANTI-REFLECTIVE

ANTI-REFLECTIVE COATING, WATER REPELLENT, ANTI-STATIC AND REINFORCED ANTI-SCRATCH

Lenses without anti-glare coating result in a reduction of light transmission of 10 to 15%, thereby penalising visual quality. Anti-glare coated lenses are perfectly transparent and transmit 99% of light. The anti-glare coating improves clearness and contrast giving a more precise image. Anti-glare coating also strengthens scratch resistance. Combined with an anti-static coating, it prevents dust from sticking to the lens and also has a water-repellent property to prevent water from staying on the lens.





⁺PL∧TINUM

ANTI-FOG AND ANTI-SCRATCH COATING.

Contrary to other anti-fog coatings, the Platinum® coating gives permanent fog resistance **on both sides** and limits the condensation effect. It maintains its properties even after repeated cleaning. This exclusive Bollé Safety coating complies with the EN166 standard with the K&N marking.



B-ZEN

ANTI-GLARE COATING AGAINST BLUE LIGHT, ANTI-STATIC WATER REPELLENT AND REINFORCED ANTI-SCRATCH.

The B-Zen coating was designed for people exposed to blue light through LED lighting and screens. This anti-glare, water repellent, anti-static, anti-scratch coating filters about 20% of undesirable blue light. It is very scratch resistant and easy to clean. B-Zen's anti-static properties also improve clarity and reduce dust deposits on the lens surface, making it easier to clean.



TINTS AND FILTER

С С COMFORT. SENSE. PERCEPTION

TINT

The intensity of the tint protects against glare by reducing the light intensity. It is available in brown or grey and in different shades. Thanks to the UV filter, Bollé Safety provides full protection against UV rays for all tints. The tints are hardened and comply with the EN172 standard.



DARK QUARTZ/BROWN LENS Solar tint for extreme conditions


DARK SMOKE LENS Solar tint for extreme conditions

MODULATOR

Photochromic glass is a glass that changes colour depending on the quantity of ultra-violets (UVs). The glass becomes lighter or darker automatically (variable comfort tint: brown or grey) depending on surrounding light levels in order to optimise users' sight and protection throughout the day. UV coating combined with photochromic glass gives optimum eye protection. Modulator has an anti-scratch coating and complies with the EN172 standard



Contrary to polycarbonate, CR39 glass does not filter all UVs. This is why the UV400 coating can be added when ordering for total ultra-violet filtering. UV400 complies with the EN172 standard







BECAUSE WE ARE THE PPE EYEWEAR SPECIALISTS

We are always going the extra mile to offer you new products that meet your specific needs or environments.

Our EXCELLENCE range expands with new KOVER, KLASSEE, KURT, B714 & B810 frames, as well as a new range of products: OFFICE, featuring timeless frames designed for optimal vision in office environments.







Y - PRESCRI

SELECTION GUIDE

Depending on your protection requirements and your morphology we propose frames of which the curve varies from 4 to 8.



100

Đ

0

6

A COMPANY OF						_
	MODEL	PAGES	CURVE	SKU	SIZE	ADJUSTABLE TEMPLES
	KOVER	14	4	PXFKOVE401R	57/16	+
	KLASSEE 🖨	15	4	KLASSX10E	51/15	-
	RLASSEE 0	15	4	PXFKLAS401R	55/16	-
	KURT	16	4	KURTSX10E	53/14	+
NEW PRODUCTS	NUNI	10		PXFKURT206R	57/16	+
	B810	17	4	PXFB8102042	52/17	+
	5010		-	PXFB810204R	54/17	+
	B714	17	4	B714SX10E	52/17	+
	5/14		· ·	B714MX10E	54/17	+
				SPISLTO	53/19	+
	SPICY	18	4	SPISBKGN	53/19	+
				SPIMBKB	53/19	+
				OFSPISLTO	53/19	+
				KICMBKO	54/19	+
	KICK	19	4	KICSDTO	54/19	+
				KICMBKGY	54/19	+
				OFKICMBKGY	54/19	+
				PXFB8091022	52/17	+
ESSENTIALS	B809	20	4	B809BL	54/17	+
				B809BXL	57/17	+
		20	-	B808BS	49/18	-
	B808		4	B808BL	54/17	-
				B808RS	49/18	-
-	5007	01		B808RL	54/17	-
	B807	21	6	B807N	57/17	-
	B805	21	4	B805	54/18	+
	B806	22	4	B806S	52/17	+
	VTDA	00	<u> </u>	B806L	54/17	
COVERING	XTRA	23	6	XTRABKL	58/12 54/18	-
	MACRO	23	6	MACN BAXN		
HYBRIDS	BAXTER	24	8	BAXWFSN	63/18 63/18	-
I I DRIUS	TRACKER	25	6	TRACKERRX	74/20	-
	TRYON	25	8	TRYON	61/18	-
			0	HARPGN	62/16	+
WRAPAROUND	HARPER	27	8	HARPBN	62/16	+
	HUSTLER	28	8	HUSTN	68/16	
	CONTOUR	29	8	CONTN	67/17	-
				B713S	52/17	+
	B713	30	4	B713L	54/17	+
	B711	31	4	B711	48/21	-
METAL				B712S	52/14	+
	B712	31	4	B712L	54/14	+
				B708S	52/18	+
	B708	31	4	B708L	54/18	+
						T(#

SAFETY FRAMES

CURVED

Adapted to 85% of prescription spectacles



VERY CURVED Adapted to 70% of prescriptionb spectacles

PROTECTION & INGENUITY





FRAME

Curve 4

WEIGHT

50 gr

KEY BENEFITS

Comfortable TPR gasket Overflow chute for liquids Sealed bi-material frame



48% OF THE FRAME'S WEIGHT IS BIOBASED (CASTOR OIL)



NEW

GO GREEN

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Navy blue	-	PXFKOVE401R	57/16	🗁 EN166 345 F CC	-	EN166

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Navy blue	Small	KLASSX10E	51/15	🗁 EN166 F C €	127 mm	EN166
Navy blue	Medium	PXFKLAS401R	55/16	🗁 EN166 F C €	131 mm	EN166

COMFORT & SUSTAINABILITY





FRAME

Curve 4

WEIGHT

28 gr

KEY BENEFITS


Biobased materials, bi-material frame for more flexibility

Light and flexible for maximum comfort


Side, top and bottom protections

Eco-frame compliant with international safety standards

COMFORT & SPORTIVITY



INCREASED COMFORT



FRAME

Curve 4

WEIGHT

S: 29 gr L: 36 gr

KEY BENEFITS

Sporty design for total protection

Lightly smoked translucend side for maximum clarity, without glare

Large frame for increased protection

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Grey/Yellow	Small	KURTSX10E	53/14	🗁 EN166 F C €	121 mm	EN166
Grey/Yellow	Large	PXFKURT206R	57/16	알 EN166 F C €	125 mm	EN166

DISCREET & PERFORMANT

FRAME

Curve 4

WEIGHT

S: 24 gr L: 24 gr

KEY BENEFITS

Translucent grey frame for maximum clarity without glare

Adjustable reinforced temples

	61
5	ST

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Translucent grey	Small	PXFB8102042	52/17	🗁 EN166 F C C	133 mm	EN166
Translucent grey	Large	PXFB810204R	54/17	🗁 EN166 F C €	133 mm	EN166

SIMPLICITY & ELEGANCE

FRAME

Curve 4

WEIGHT

S: 31 gr L: 33 gr

KEY BENEFITS

Fixed shields providing side, lower and upper protection Fashionable frame

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Clear	Small	B714SX10E	52/17	🗁 EN166 F C €	135 mm	EN166
Clear	Medium	B714MX10E	54/17	🗁 EN166 F C C	140 mm	EN166





FOR STRONG CORRECTIONS







SIMPLICITY & EFFECTIVENESS

SIMPLICITY & MODERNITY

KICK OFFICE

KICK

ESSENTIALS

KICK



SPICY

SPICY OFFICE



FRAME

Curve 4

WEIGHT

Spicy: 18 gr Spicy Off.: 16 gr


KEY BENEFITS

Anti-slip nose

Lightweight frame

Modern and urban style

Available in a version without side shields (for office use) with been



FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Black/Orange	-	KICMBKO	54/19	🗁 EN166 F C €	140 mm	EN166
Dark scale	-	KICSDTO	54/19	🗁 EN166 F C €	140 mm	EN166
Black/Grey	-	KICMBKGY	54/19	\\ \\ \\ EN166 F C €	140 mm	EN166
Black/Grey	Without side shields	OFKICMBKGY	54/19	🗁 EN166 S C C	140 mm	EN166



FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Light scale	-	SPISLTO	53/19	🖆 EN166 F C C	138 mm	EN166
Black/Green	-	SPISBKGN	53/19	🗁 EN166 F C C	138 mm	EN166
Black/Blue	-	SPIMBKB	53/19	🖆 EN166 F C C	138 mm	EN166
Light scale	Without side shields	OFSPISLTO	53/19	🗁 EN166 S C €	138 mm	EN166

FRAME WITH OR WITHOUT SHIELDS





FRAME

Curve 4

WEIGHT

Kick: 17 gr Kick Off.: 15 gr

KEY BENEFITS

Anti-slip nose

Lightweight frame

Modern and urban style

Available in a version without side shields (for office use) with bzen

PROTECTIVE & LIGHTWEIGHT

FRAME

Curve 4

WEIGHT

S: 20 gr L: 20 gr

KEY BENEFITS

Polycarbonate nose bridge for perfect support

TIPGRIP comfort non-slip temples

Available in two sizes and colours

Available without correction



WRAP-AROUND FIT PROVIDING SIDE, LOWER AND UPPER PROTECTION

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Gunmetal	Small	B808BS	49/18	🖆 EN166 F C C	130 mm	EN166
Gunmetal	Large	B808BL	54/17	≌ EN166 F C€	135 mm	EN166
Red	Small	B808RS	49/18	🗁 EN166 F C C	130 mm	EN166
Red	Large	B808RL	54/17	🖆 EN166 F C €	135 mm	EN166

SIMPLICITY & PRACTICALITY

Curve 6

FRAME

WEIGHT

24 gr

KEY BENEFITS

Wrap-around frame for maximum protection

Non-slip bridge

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Translucent grey	-	B807N	57/17	🗁 EN166 F C €	120 mm	EN166

SLIMNESS & DISCRETION

FRAME

Curve 4

WEIGHT

S: 25 gr L: 31 gr XL: 33 gr

KEY BENEFITS

Ideal for narrow faces

Fixed side shields

Adjustable reinforced temples



BUILT-IN SIDE SHIELDS

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Clear	Small	PXFB8091022	52/17	\\$\\$` EN166 F € €	130 mm	EN166
Clear	Large	B809BL	54/17	🗁 EN166 F C €	127 mm	EN166
Clear	Extra Large	B809BXL	57/17	🗁 EN166 F C €	130 mm	EN166



Curve 4

FRAME

WEIGHT

23 gr

KEY BENEFITS

TIPGRIP comfort non-slip temples Built-in side shields



FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Clear	-	B805	54/18	🗁 EN166 F C €	140 mm	EN166



SIDE SHIELDS



FULLY TRANSLUCENT FRAME

SLIMNESS & UNIVERSALITY



TRANSLUCENT SIDE



FRAME

Curve 4

WEIGHT

S: 20 gr L: 22 gr

KEY BENEFITS

Very modern rectangular shape Adjustable thin temples Available in two sizes Lightweight and thin frame Non-slip bridge

FRAME	
Curve 6	
WEIGHT	
24 gr	
KEY BENEFITS	
Wide field of vision	

Built-in side shields Side, lower and upper protection

SIMPLICITY & BOLDNESS

Rectangular shape

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Black/ Translucent	-	XTRABKL	58/12	\[EN166 F € €	120 mm	EN166



FRAME

Curve 6

WEIGHT

19 gr

KEY BENEFITS

Pivoting temples to adjust and improve protection Rounded shape





FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Black	Small	B806S	52/17	🖆 EN166 F CE	140 mm	EN166
Black	Large	B806L	54/17	🖆 EN166 F C €	140 mm	EN166

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Translucent grey	-	MACN	54/18	🗁 EN166 F C C	140 mm	EN166





ULTRA COVERING FRAME

INGENUITY & TECHNICALITY

BAXTER HYBRID

INCREASED PROTECTION



FRAME

Curve 8

WEIGHT

39 gr.

KEY BENEFITS

Sealed foam 15 mm adjustable strap Ultra wrap-around frame Available without correction



FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Black/Gunmetal	Glasses + Foam	TRACKERRX	74/20 (Glasses) 45/28 (insert)	🗁 EN166 FT C €	117 mm	EN166
Black/Gunmetal	Glasses + Foam & Strap	-	74/20 (Glasses) 45/28 (insert)	🗁 EN166 3 4 BT CE	140 mm	EN166

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Blue/Black	Glasses + Foam	BAXN	63/18	🗁 EN166 F CE	122 mm	EN166
Blue/Black	Glasses + Foam & Strap	-	-	☆ EN166 3 4 5 F C€	-	EN166

PROTECTION & FUNCTIONALITY



F	R	A	Μ	E

Curve 6

WEIGHT

52 gr

KEY BENEFITS

Optical insert easily assembled Wrap-around frame Adjustable strap Available without correction

COMFORT & PERFORMANCE







WRAP-AROUND FIT PROVIDING SIDE, LOWER AND UPPER PROTECTION



FRAME

Curve 8

WEIGHT

16g

KEY BENEFITS

FLEX: ultra-modular, shape-memory bridge to adapt to all faces

FLEX 160° temples to adapt to all heads and reduce pressure points

Optional retainer strap

Available without correction



TIL	
F	D O
	E

WRAPAROUND

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Grey / Green	-	HARPGN	62/16	🖆 EN166 F C C	115 mm	EN166
Grey / Blue	-	HARPBN	62/16	🗁 EN166 F C €	115 mm	EN166

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Blue/Black	-	TRYON	61/18	🗁 EN166 F C €	117 mm	EN166
-	Retainer strap	PSPUNISS01	-	-	-	-

COMFORT & PANORAMIC VISION



CHOICE OF 2 COLOURS



FRAME

Curve 8

WEIGHT

19 gr

KEY BENEFITS

Ultra wrap-around frame for maximum protection

Comfortable, bi-material coloured adjustable temples

Non-slip bridge


STYLE & PERFORMANCE

COMFORT & PRACTICALITY



CONTOUR WRAPAROUND





FRAME

Curve 8

WEIGHT

19 gr

KEY BENEFITS

Ultra wrap-around frame for perfect protection

Sporty modern & design for total protection

Non-slip bridge

Available without correction



FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Black		HUTSN	68/16	🗁 EN166 F C €	120 mm	EN166

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Gunmetal	-	CONTN	67/18	🗁 EN166 F C €	121 mm	EN166

29



BI-MATERIAL TEMPLES

FRAME

Curve 8

WEIGHT

24 gr

KEY BENEFITS

Comfortable, straight temples Sporty design for total protection Side shields Non-slip bridge

SIMPLICITY & ELEGANCE

B713



STYLIZED METAL FACE



ADJUSTABLE NOSE PADS

FRAME

Curve 4

WEIGHT

S: 27 gr

KEY BENEFITS

Very trendy design

upper protection

Adjustable acetate temples

L: 30 gr

Fixed shields providing side, lower and



FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Black	Small	B713S	52/17	🗁 EN166 F C €	135 mm	EN166
Black	Large	B713L	54/17	🗁 EN166 F CE	135 mm	EN166

SLIMNESS & ADAPTABILITY

FRAME

Curve 4

WEIGHT

18 gr

KEY BENEFITS

Frame without shields

Spectacles for all-round vision goggles Ultra thin hook temples

FRAME	VERSION	SKU	SIZE
Metal	-	B711	48/12

SLIMNESS & EFFICIENCY

FRAME

Curve 4

WEIGHT

S: 31 gr L: 35 gr

KEY BENEFITS

Adjustable temples and nose pads Timeless style Fixed side shields

-	3	-	50
)		١	/
	6	2	<
1	1	<	

FRAME	VERSION	SKU	SIZE
Metal	Small	B712S	52/14
Metal	Large	B712L	54/14

SLIMNESS & TIMELESS

FRAME

Curve 4

WEIGHT

S: 21 gr L: 24 gr


KEY BENEFITS

Aviator style with a double bridge Adjustable temples and nose pads Fixed side shields

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Bronze	Small	B708S	52/18	🖆 EN166 F C €	140 mm	EN166
Bronze	Large	B708L	54/18	🖆 EN166 F C €	140 mm	EN166







Redded Blue Light FILTERING TECHNOLOGY

Introducing the most advanced blue blocker lens filtering technology on the market to prevent the vision of workers, screeners, and children from being damaged by harmful blue light

OUR EMBEDDED LENS TECHNOLOGY ALLOWS FOR THE DISPERSED PIGMENTS TO BLOCK 100% OF THE HARMFUL BLUE LIGHT UP TO 420 NM. COMBINED WITH OUR BLUE ANTI-REFLECTIVE COATING APPLIED TO THE INSIDE OF LENS, THE PROBLU TECHNOLOGY ABSORBS 82% OF THE HARMFUL BLUE LIGHT UP TO 445 NM.*

*Test report from Pourquery Laboratory

Protect yourself, your family and your employees by choosing the protective measures that suit your needs and make sure you keep it up.

BLUE LIGHT	380-500 NM		
HARMFUL BLUE LIGHT 380-445 NM	BENEFICIAL BLUE LIGHT 445-500 NM		
-Contributing to digital eye strain -Potentially damaging the retina	 Regulating the circadian rhythm that controls the sleep-wake cycle 		
-Increasing the risk of eye diseases such as age-related macular degeneration (AMD)and cataracts	- Boosting brain activity and improving memory, mood, alertness and mental performance		
BLOCK IT	ENHANCING ITS TRANSMISSION		

Discover our OFFICE range featuring timeless & accessible eyewear for office and personal applications, available with the ProBlu filtering technology in option*.

*Products not certified to safety standards

THE PERFECT BALANCE BETWEEN CLARITY & FILTRATION

BLOCKING 100% OF THE HARMFUL BLUE LIGHT UP TO 420 NM & 100% OF UVA & UVB

OPTIONAL INSIDE ANTIREFLECTIVE COATING FOR OPTICAL CLARITY

> PLA PRES

COMFORTABLE SCREEN-TIME COMBINED WITH OPTIMAL VISION

PREMIUM FRAME QUALITY

QUITE CLEAR

C PROBLO EMBEDDED LENS TECHNOLOGY

AVAILABLE ON NO, READERS AND CRIPTION LENSES

OFFICE FRAMES

80 9 70			
SE			
0,00	Gro	wth Rate	
MODEL	PAGES	CURVE	SKU
BARCELONA	36	4	PXFBARC108
			PXFBARC200
LONDON	37	4	PXFLOND108
			PXFLOND200
LYON	38	4	PXFLYON108
OSLO	39	4	PXFOSL0108
ROMA	40	4	PXFROMA200
токуо	41	4	PXFTOKY100
WELLINGTON	42	4	PXFWELL108
ΜΙΑΜΙ	43	4	PXFMIAM108
	75	-	PXFMIAM204

100 2 90 OFFICE FRAMES


SIZE	SHAPE	GENRE
52/19	SQUARED	WOMAN
52/19	SQUARED	WOMAN
48/20	ROUNDED	UNISEX
48/20	ROUNDED	UNISEX
53/17	CAT EYE	WOMAN
53/18	AVIATOR	MAN
52/17	ROUNDED	WOMAN
54/18	SQUARED	MAN
53/19	SQUARED	UNISEX
47/18	ROUNDED	ENFANT
47/18	ROUNDED	ENFANT

GUIDE

4 11 2018 2019 2020 2021 2022 2023 2024

SOPHISTICATED & STYLISH

BARCELONA LONDON



AVAILABLE WITH

FRAME

Curve 4

WEIGHT

25 gr

KEY BENEFITS

Women style Hybrid metal and acetate frame Cat Eye



FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Women	Black / Yellow	PXFBARC108	52/19	\⊂C€ UKCA	140 mm	ISO 12870
Women	Crystal	PXFBARC200	52/19	\⊂ C€ UKCA	140 mm	ISO 12870

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Unisex	Black	PXFLOND108	48/20	\[]⊂€UKCA	140 mm	ISO 12870
Unisex	Crystal	PXFLOND200	48/20	\⊂C€UKCA	140 mm	ISO 12870



ELEGANT & CLASSY

FRAME

Curve 4

WEIGHT

25 gr

KEY BENEFITS

Unisex round style Premium acetate frame Timeless design

BOLD & TIMELESS


LYON

BOLD & TRENDY









AVAILABLE WITH

FRAME

Curve 4

WEIGHT

25 gr

KEY BENEFITS

Women Frame High quality frame made of acetate Glamorous design



FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Women	Black	PXFLYON108	53/17	\⊂ C€ UKCA	140 mm	ISO 12870

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
men	Black / Crystal	PXFOSL0108	53/18	\⊂ C€ UKCA	135 mm	ISO 12870

FRAME

Curve 4

WEIGHT

26 gr

KEY BENEFITS

Vintage men style Bimaterial metal and acetate frame Aviator style

CLASSY & VINTAGE


ROMA

CLASSIC & MINIMALIST









FRAME

Curve 4

WEIGHT

25 gr

KEY BENEFITS

Women style Lightweight metal frame Round shape and vintage design



FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Women	Brown / Yellow	PXFROMA200	52/17	\⊂ C€ UKCA	135 mm	ISO 12870

FRAME	VERSION	SKU	SIZE
men	Black	PXFTOKY100	54/18



FRAME

Curve 4

WEIGHT

25 gr

KEY BENEFITS

Men square style Lightweight metal frame Thin temples

FRAME MARKING	TEMPLES	STANDARD
\⊂€ UKCA	140 mm	ISO 12870

ELEGANT & CLASSY

COMFORT & STYLE

WELLINGTON MIAMI







AVAILABLE WITH

FRAME

Curve 4

WEIGHT

30 gr

KEY BENEFITS

Unisex square style Premium acetate frame Extra slim temples





FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Unisex	Black	PXFWELL108	53/19	_`C€UKCA	145 mm	ISO 12870
Unisex	Crystal	PXFWELL200	53/19	_`C€UKCA	145 mm	ISO 12870

FRAME	VERSION	SKU	SIZE	FRAME MARKING	TEMPLES	STANDARD
Children	Black / Crystal	PXFMIAM204	47/18	\⊂C€UKCA	135 mm	ISO 12870
Children	Black / Red	PXFMIAM108	47/18	\[]☐ C € UKCA	135 mm	ISO 12870

FRAME

Curve 4

WEIGHT

18 gr

KEY BENEFITS

Unisex round style Premium acetate frame Elegant and sophisticated design

SAFETY RANGE IN THE BLINK OF AN EYE

NEW





L 55/16 - 131 mm

Réf. : KLASSX10E Réf. : PXFKLAS401R





Size :57/16 Ref.: PXFKOVE401R







With side shields Size :S 52/17 - L 54/17 - 133 mm Ref.: PXFB8102042 Ref.: PXFB810204R

Size : S 52/17 - 135 mm L 54/17 - 140 mm Ref.: B714SX10E Ref.: B714MX10E

KURT

L 57/16 - 125 mm

Ref.: KURTSX10E

Ref.: PXFKURT206R

Size : S 53/14 - 121 mm



BAXTER RX P24 Size :63/18 - 122 mm Ref.: BAXN



TRACKER RX P25 Size:74/20 (Glasses) 45/28 (insert) - 117 mm Ref.: TRACKERRX

ESSENTIALS







B807 Size :57/17 - 120 mm 📕 Ref.: B807N



Size :54/18 - 140 mm Ref.: B805







HARPER Size :62/16 - 115 mm Ref.: HARPGN Ref.: HARPBN

8

B711

Ref.: B711

Without side shields

Size :48/21 - 147 mm






B713

Ref.: B713S

Ref.: B713L

With side shields

Size :S 52/17 - L 54/17 - 135 mm



COVERING



XTRA Size :58/12 - 120 mm Ref.: XTRABKL







With side shields Size :S 52/17 - L 54/17 - 140 mm

Ref.: B806S Ref.: B806L





